

APPENDIX C

- Programme
 Region
 Project
 Dataset
 Road name A252
 Section 1290_1
 Carriageway
- ID Name
- 59 Vertical realignment (major)
 - 182 Realignment (sight distance improvement)
 - 7 Horizontal Realignment
 - 30 Duplicate - >20m median
 - 29 Duplicate - 10-20m median
 - 28 Duplicate - 5-10m median
 - 27 Duplicate - 1-5 m median
 - 26 Duplicate - <1m median
 - 25 Duplication with median barrier
 - 31 Service road
 - 32 Additional lane (2 + 1 road with barrier)
 - 33 Implement one way network
 - 60 Overtaking lane
 - 18 Grade separation
 - 24 Central median barrier (no duplication)
 - 23 Central turning lane full length
 - 186 Central median barrier (1+1)
 - 22 Centreline rumble strip / flexi-post
 - 21 Central hatching
 - 190 Wide centreline
 - 6 Motorcycle Lane (Segregated)
 - 5 Motorcycle Lane (Construct on-road)
 - 4 Motorcycle Lane (Painted logos only on-road)
 - 10 Lane widening (>0.5m)
 - 9 Lane widening (up to 0.5m)
 - 48 Shoulder sealing passenger side (>1m)
 - 47 Shoulder sealing passenger side (<1m)
 - 172 Shoulder sealing driver side (>1m)
 - 171 Shoulder sealing driver side (<1m)
 - 77 Shoulder rumble strips
 - 46 Roadside barriers - driver side
 - 45 Roadside barriers - passenger side
 - 42 Clear roadside hazards - driver side
 - 41 Clear roadside hazards - passenger side
 - 44 Sideslope improvement - driver side
 - 43 Sideslope improvement - passenger side
 - 20 Roundabout
 - 73 Pave road surface
 - 40 Road surface rehabilitation
 - 71 Skid Resistance (paved road)
 - 72 Skid Resistance (unpaved road)
 - 17 Signalise interm provision (4-leg)
 - 15 Protected turn provision at existing signalised site (4-leg)
 - 12 Protected turn lane (unsignalised 4 leg)
 - 16 Signalise intersection (3-leg)
 - 14 Protected turn provision at existing signalised site (3-leg)
 - 11 Protected turn lane (unsignalised 3 leg)
 - 19 Rail crossing upgrade
 - 61 Median crossing upgrade
 - 3 Bicycle Lane (off-road)
 - 2 Bicycle Lane (on-road)
 - 38 Grade separated pedestrian facility
 - 37 Signalised crossing
 - 193 School zone - crossing guard or supervisor
 - 194 Unsignalised raised crossing
 - 36 Unsignalised crossing
 - 35 Refuge Island
 - 34 Upgrade pedestrian facility quality
 - 81 Side road grade separated pedestrian facility
 - 152 Side road signalised pedestrian crossing
 - 153 Side road unsignalised pedestrian crossing
 - 163 Footpath provision passenger side (with barrier)
 - 55 Footpath provision passenger side (>3m from road)
 - 54 Footpath provision passenger side (adjacent to road)
 - 164 Footpath provision passenger side (informal path >1m)
 - 177 Footpath provision driver side (with barrier)
 - 174 Footpath provision driver side (>3m from road)
 - 173 Footpath provision driver side (adjacent to road)
 - 178 Footpath provision driver side (informal path >1m)
 - 80 Pedestrian fencing
 - 75 Street lighting (intersection)
 - 76 Street lighting (ped crossing)
 - 74 Street lighting (mid-block)
 - 79 Sight distance (obstruction removal)
 - 192 School zone warning - flashing beacon
 - 191 School zone warning - signs and markings
 - 13 Delineation and signing (intersection)
 - 8 Improve curve delineation
 - 1 Improve Delineation
 - 52 Restrict/combine direct access points
 - 57 Traffic calming
 - 78 Parking improvements
 - 63 Sideslope improvement (bike lane)
 - 62 Clear roadside hazards (bike lane)
 - 64 Roadside barriers (bike lane)
 - 69 Central median barrier (MC lane)
 - 66 Sideslope improvement (seg MC lane) passenger side
 - 65 Clear roadside hazards (seg MC lane) passenger side
 - 67 Roadside barriers (seg MC lane) passenger side
 - 188 Sideslope improvement (seg MC lane) driver side
 - 187 Clear roadside hazards (seg MC lane) driver side
 - 189 Roadside barriers (seg MC lane) driver side
 - 56 Speed management reviews
 - 68 Speed management reviews (MC Lane)
 - 195 30mph speed limit
 - 197 40mph speed limit
 - 199 50mph speed limit
 - 201 60mph speed limit
 - 203 30mph operating speed
 - 196 35mph operating speed
 - 204 40mph operating speed
 - 198 45mph operating speed
 - 205 50mph operating speed
 - 200 55mph operating speed
 - 206 60mph operating speed
 - 202 65mph operating speed



APPENDIX C

Programme
Region
Project
Dataset
Road name A252
Section 1290_1
Carriageway

ID	Name
59	Vertical realignment (major)
182	Realignment (sight distance improvement)
7	Horizontal Realignment
30	Duplicate - >20m median
29	Duplicate - 10-20m median
28	Duplicate - 5-10m median
27	Duplicate - 1-5 m median
26	Duplicate - <1m median
25	Duplication with median barrier
31	Service road
32	Additional lane (2 + 1 road with barrier)
33	Implement one way network
60	Overtaking lane
18	Grade separation
24	Central median barrier (no duplication)
23	Central turning lane full length
186	Central median barrier (1+1)
22	Centreline rumble strip / flexi-post
21	Central hatching
190	Wide centreline
6	Motorcycle Lane (Segregated)
5	Motorcycle Lane (Construct on-road)
4	Motorcycle Lane (Painted logos only on-road)
10	Lane widening (>0.5m)
9	Lane widening (up to 0.5m)
48	Shoulder sealing passenger side (>1m)
47	Shoulder sealing passenger side (<1m)
172	Shoulder sealing driver side (>1m)
171	Shoulder sealing driver side (<1m)
77	Shoulder rumble strips
46	Roadside barriers - driver side
45	Roadside barriers - passenger side
42	Clear roadside hazards - driver side
41	Clear roadside hazards - passenger side
44	Sideslope improvement - driver side
43	Sideslope improvement - passenger side
20	Roundabout
73	Pave road surface
40	Road surface rehabilitation
71	Skid Resistance (paved road)
72	Skid Resistance (unpaved road)
17	Signalise intersection (4-leg)
15	Protected turn provision at existing signalised site (4-leg)
12	Protected turn lane (unsignalised 4 leg)
16	Signalise intersection (3-leg)
14	Protected turn provision at existing signalised site (3-leg)
11	Protected turn lane (unsignalised 3 leg)
19	Rail crossing upgrade
61	Median crossing upgrade
3	Bicycle Lane (off-road)
2	Bicycle Lane (on-road)
38	Grade separated pedestrian facility
37	Signalised crossing
193	School zone - crossing guard or supervisor
194	Unsignalised raised crossing
36	Unsignalised crossing
35	Refuge Island
34	Upgrade pedestrian facility quality
81	Side road grade separated pedestrian facility
152	Side road signalised pedestrian crossing
153	Side road unsignalised pedestrian crossing
163	Footpath provision passenger side (with barrier)
55	Footpath provision passenger side (>3m from road)
54	Footpath provision passenger side (adjacent to road)
164	Footpath provision passenger side (informal path >1m)
177	Footpath provision driver side (with barrier)
174	Footpath provision driver side (>3m from road)
173	Footpath provision driver side (adjacent to road)
178	Footpath provision driver side (informal path >1m)
80	Pedestrian fencing
75	Street lighting (intersection)
76	Street lighting (ped crossing)
74	Street lighting (mid-block)
79	Sight distance (obstruction removal)
192	School zone warning - flashing beacon
191	School zone warning - signs and markings
13	Delineation and signing (intersection)
8	Improve curve delineation
1	Improve Delineation
52	Restrict/combine direct access points
57	Traffic calming
78	Parking improvements
63	Sideslope improvement (bike lane)
62	Clear roadside hazards (bike lane)
64	Roadside barriers (bike lane)
69	Central median barrier (MC lane)
66	Sideslope improvement (seg MC lane) passenger side
65	Clear roadside hazards (seg MC lane) passenger side
67	Roadside barriers (seg MC lane) passenger side
188	Sideslope improvement (seg MC lane) driver side
187	Clear roadside hazards (seg MC lane) driver side
189	Roadside barriers (seg MC lane) driver side
56	Speed management reviews
68	Speed management reviews (MC Lane)
195	30mph speed limit
197	40mph speed limit
199	50mph speed limit
201	60mph speed limit
203	30mph operating speed
196	35mph operating speed
204	40mph operating speed
198	45mph operating speed
205	50mph operating speed
200	55mph operating speed
206	60mph operating speed
202	65mph operating speed



